ELSEVIER

Gene Structure and Expression

Vol. 1264, 1995

BBA Biochimica et Biophysica Acta

Author index

Adunyah, S.E., Chander, R., Barner, V.K. and Cooper, R.S.
Erratum to "Regulation of c-jun mRNA expression by hydroxyurea in human K562 cells during erythroid differentiation" [Biochim. Biophys. Acta 1263 (1995) 123–132] (1264) 409
Allen, G., see Linge, C. (1264) 363
Andrade, L., see Chianale, J. (1264) 369
Armstrong, L.C. and Last, J.A.
Rat lysyl hydroxylase: molecular cloning, mRNA distribution and expression in a baculovirus system (1264) 93
Arthur, R., see Vogel, L.B. (1264) 168

Baida, G.E. and Kuzmin, N.P.
Cloning and primary structure of a new hemolysin gene from *Bacillus cereus* (1264) 151
Bandyopadhyay, R.S., Phelan, M. and Faller, D.V.
Hypoxia induces AP-1-regulated genes and AP-1 transcription factor binding in human endothelial and other cell types (1264) 72
Barner, V.K., see Adunyah, S.E. (1264) 409
Behravan, G., Sen, S., Rova, U., Thelander, L., Eckstein, F. and Gräslund, A.
Formation of a free radical of the sulfenylimine type in the mouse ribonucleotide reductase reaction with 2′-azido-2′-deoxycytidine 5′-diphosphate (1264) 323
Berghöfer, J., see Cuypers, H. (1264) 183
Bierilo, K.K., see MacNeil, T. (1264) 223
Bockholt, R., Masepohl, B., Kruft, V., Wittmann-Liebold, B. and Pistorius, E.K.
Partial amino acid sequence of an L-amino acid oxidase from the cyanobacterium *Synechococcus* PCC6301, cloning and DNA sequence analysis of the *aox*A gene (1264) 289
Bonnet, J., see Mishra, R.K. (1264) 229
Bounacer, A., see Wicker, R. (1264) 254
Bouthier de la Tour, C., Kaltoum, H., Portemer, C., Confalonieri, F., Huber, R. and Duguet, M.
Cloning and sequencing of the gene coding for topoisomerase I from the extremely thermophilic eubacterium, *Thermotoga maritima* (1264) 279
Bressan, G.M., see Piccolo, S. (1264) 40
Brison, O., see Wicker, R. (1264) 254
Brochu, G., see Lagueux, J. (1264) 201
Bruni, C.B., see Vitelli, R. (1264) 268
Bryan, S.K., see Merkens, L.S. (1264) 243
Bucci, C., see Vitelli, R. (1264) 268
Burkhart, W., see Woriax, V.L. (1264) 347

Candas, B., see Lagueux, J. (1264) 201
Capranico, G., see Giaccone, G. (1264) 337
Castora, F.J., see Topcu, Z. (1264) 377
Chander, R., see Adunyah, S.E. (1264) 409
Chandra, G., see Chen, W.-J. (1264) 388
Chatterjee, B., see Choi, S.J. (1264) 215
Chen, C.-J. and Traugh, J.A.
Expression of recombinant elongation factor 1 beta from rabbit in *Escherichia coli*. Phosphorylation by casein kinase II (1264) 303
Chen, J., Liu, L. and Pohajdak, B.
Cloning a cDNA from human NK/T cells which codes for a protein with high proline content (1264) 19
Chen, W.-J., Lewis, K.S., Chandra, G., Cogswell, J.P., Stinnett, S.W., Kadwell, S.H. and Gray, J.G.
Characterization of human E4BP4, a phosphorylated bZIP factor (1264) 388
Chianale, J., Vollrath, V., Wielandt, A.M., Miranda, S., Gonzalez, R., Fresno, A.M., Quintana, C., Gonzalez, S., Andrade, L. and Guzman, S.
Differences between nuclear run-off and mRNA levels for multidrug resistance gene expression in the cephalocaudal axis of the mouse intestine (1264) 369
Chiariello, M., see Vitelli, R. (1264) 268
Choi, I.Y., Chung, I.K. and Muller, M.T.
Eukaryotic topoisomerase II cleavage is independent of duplex DNA conformation (1264) 209
Choi, S.J., Oh, D.H., Song, C.S., Roy, A.K. and Chatterjee, B.
Molecular cloning and sequence analysis of the rat liver carnitine octanoyltransferase cDNA, its natural gene and the gene promoter (1264) 215
Chong, S., Taylor, K.A. and Piper, A.A.
Intragenic matrix attachment and DNA–protein interactions in the human X-linked Hprt gene (1264) 103
Chung, I.K., see Choi, I.Y. (1264) 209
Clos, J., see Levy-Holtzman, R. (1264) 134
Cogswell, J.P., see Chen, W.-J. (1264) 388
Confalonieri, F., see Bouthier de la Tour, C. (1264) 279
Conway de Macario, E., see Macario, A.J.L. (1264) 173
Cook, P.F., see Lagueux, J. (1264) 201
Cooper, R.S., see Adunyah, S.E. (1264) 409
Crowe, J.S., see Linge, C. (1264) 363
Cuypers, H., Berghöfer, J. and Zumft, W.G.
Multiple *nosZ* promoters and anaerobic expression of *nos* genes necessary for *Pseudomonas stutzeri* nitrous oxide reductase and assembly of its copper centers (1264) 183

Dai, G., Smeekens, S.P., Steiner, D.F., McMurtry, J.P. and Kwok, S.C.M.
Characterization of multiple prohormone convertase PC1/3 transcripts in porcine ovary (1264) 1
Dalesio, O., see Giaccone, G. (1264) 337
Delaporte, C., see Dereuddre, S. (1264) 178
Dereuddre, S., Frey, S., Delaporte, C. and Jacquemin-Sablon, A.
Cloning and characterization of full-length cDNAs coding for the DNA topoisomerase II β from Chinese hamster lung cells sensitive and resistant to 9-OH-ellipticine (1264) 178
Detera-Wadleigh, S.D., see Yoshikawa, T. (1264) 63
Douillard, H., see Ulycznyj, P.I. (1264) 249
Dov, C.B., see Schijman, A.G. (1264) 15
DuBow, M.S., see Ulycznyj, P.I. (1264) 249
Duguet, M., see Bouthier de la Tour, C. (1264) 279
Dupressoir, A., Puech, A. and Heidmann, T.
IAP retrotransposons in the mouse liver as reporters of ageing (1264) 397

Eckstein, F., see Behravan, G. (1264) 323
Edgerton, J., see Meaking, W.S. (1264) 357
Ellis, J., see Linge, C. (1264) 363
Escribano, M.-J., see Roudani, S. (1264) 141

Faller, D.V., see Bandyopadhyay, R.S. (1264) 72
Faulkner, P., see Hill, J.E. (1264) 275
Fink, P., Rogers, M.A., Korge, B., Winter, H. and Schweizer, J.
A cDNA encoding the human type I hair keratin hHa1 (1264) 12
Flowers, K.M., Mellor, H., Kimball, S.R. and Jefferson, L.S.
Structure and sequence of the gene encoding the α-subunit of rat translation initiation factor-2B (1264) 163
Fresno, A.M., see Chianale, J. (1264) 369
Frey, S., see Dereuddre, S. (1264) 178
Fujita, D.J., see Vogel, L.B. (1264) 168

Gascon, A., see Wicker, R. (1264) 254
Geiger, B., see Yarden, A. (1264) 257
Gewert, D., see Linge, C. (1264) 363
Ghio, S., see Schijman, A.G. (1264) 15
Giaccone, G., Van Ark-Otte, J., Scagliotti, G., Capranico, G., Van der Valk, P., Rubio, G., Dalesio, O., Lopez, R., Zunino, F., Walboomers, J. and Pinedo, H.M.
Differential expression of DNA topoisomerases in non-small cell lung cancer and normal lung (1264) 337
Girotto, D., see Piccolo, S. (1264) 40
Gonzalez, F.J., see Nomoto, M. (1264) 35
Gonzalez, R., see Chianale, J. (1264) 369
Gonzalez, S., see Chianale, J. (1264) 369
Grahn, B., see Rosander, U. (1264) 121
Granner, D.K., see O'Brien, R.M. (1264) 284
Gräslund, A., see Behravan, G. (1264) 323
Gray, J.G., see Chen, W.-J. (1264) 388
Guzman, S., see Chianale, J. (1264) 369

Halmi, N., see O'Brien, R.M. (1264) 284
Hayashi, H., see Nittoh, T. (1264) 261
Heby, O., see Rosander, U. (1264) 121
Heidmann, T., see Dupressoir, A. (1264) 397
Hess, J.F., see MacNeil, T. (1264) 223
Hill, J.E., Kuzio, J. and Faulkner, P.
Identification and characterization of the v-cath gene of the baculovirus, CfMNPV (1264) 275
Holm, I., see Rosander, U. (1264) 121
Houssaint, E., see Scotet, E. (1264) 238
Huber, R., see Bouthier de la Tour, C. (1264) 279
Huhtaniemi, I., see Widłak, W. (1264) 191

Ichihara, A., see Ni, R. (1264) 45
Iemura, O., see Itoh, S. (1264) 26
Iemura, O., see Itoh, S. (1264) 159
Inoue, N., see Nomoto, M. (1264) 35
Isbrandt, D. and Von Figura, K.
Cloning and sequence analysis of human guanidinoacetate *N*-methyltransferase cDNA (1264) 265
Isobe, Y., see Nittoh, T. (1264) 261
Itoh, S., Iemura, O., Yamada, E., Yoshimura, T., Tsujikawa, K., Kohama, Y. and Mimura, T.
cDNA cloning of mouse ferredoxin reductase from kidney (1264) 159
Itoh, S., Yoshimura, T., Iemura, O., Yamada, E., Tsujikawa, K., Kohama, Y. and Mimura, T.
Molecular cloning of 25-hydroxyvitamin D-3 24-hydroxylase (Cyp-24) from mouse kidney: its inducibility by vitamin D-3 (1264) 26

Jacquemin-Sablon, A., see Dereuddre, S. (1264) 178
Jefferson, L.S., see Flowers, K.M. (1264) 163

Kadwell, S.H., see Chen, W.-J. (1264) 388
Kal, A.J., see Kos, W. (1264) 79
Kaltoum, H., see Bouthier de la Tour, C. (1264) 279
Kamp, D., see Stern, B. (1264) 115
Kananen, K., see Widłak, W. (1264) 191
Kanke, F., see Shimizu, M. (1264) 330
Kath, T. and Schäfer, G.
A secY homologous gene in the crenarchaeon *Sulfolobus acidocaldarius* (1264) 155
Kawamura, M., see Nomoto, M. (1264) 35
Kim, S.K., Takahashi, M. and Nordén, B.
Binding of RecA to anti-parallel poly(dA) · 2poly(dT) triple helix DNA (1264) 129
Kimball, S.R., see Flowers, K.M. (1264) 163
Kohama, Y., see Itoh, S. (1264) 26
Kohama, Y., see Itoh, S. (1264) 159
Korge, B., see Fink, P. (1264) 12
Kos, W., Kal, A.J., Van Wilpe, S. and Tabak, H.F.
Expression of genes encoding peroxisomal proteins in *Saccharomyces cerevisiae* is regulated by different circuits of transcriptional control (1264) 79
Krajewski, J., see Szweykowska-Kulinska, Z. (1264) 87
Krawczyk, Z., see Widłak, W. (1264) 191
Kruft, V., see Bockholt, R. (1264) 289
Kuzio, J., see Hill, J.E. (1264) 275
Kuzmin, N.P., see Baida, G.E. (1264) 151
Kwok, S.C.M., see Dai, G. (1264) 1

Lagueux, J., Ménard, L., Candas, B., Brochu, G., Potvin, F., Verreault, A., Cook, P.F. and Poirier, G.G.
Equilibrium model in an in vitro poly(ADP-ribose) turnover system (1264) 201
Laroche, A., see Lépine, G. (1264) 271
Last, J.A., see Armstrong, L.C. (1264) 93
Lee, B.J., see Park, J.M. (1264) 23
Lee, J.Y., see Park, J.M. (1264) 23
Lemieux, G., see Lépine, G. (1264) 271
Lépine, G., Laroche, A., Lemieux, G. and Pallotta, D.
The two alleles of the *hapP* gene in *Physarum polycephalum* code for different proteins (1264) 271
Levin, M.J., see Schijman, A.G. (1264) 15
Levy-Holtzman, R., Clos, J. and Schechter, I.
Differences in DNA sequence recognition by the heat-shock factors of *Drosophila melanogaster* and the parasitic helminth *Schistosoma mansoni* (1264) 134
Lewis, K.S., see Chen, W.-J. (1264) 388
Liang, T.J., see Ni, R. (1264) 45
Linge, C., Gewert, D., Ellis, J., Tucker, D., Allen, G. and Crowe, J.S.
Transcription of interferon-α2 alleles from virus-induced human leucocytes and lymphoblastoid cells of African origin (1264) 363
Liu, L., see Chen, J. (1264) 19
Lombardo, D., see Roudani, S. (1264) 141
Lopez, R., see Giaccone, G. (1264) 337
Lorenzi, H., see Schijman, A.G. (1264) 15
Løvtrup-Rein, H., see Rosander, U. (1264) 121

Macario, A.J.L., Simon, V.H. and Conway de Macario, E.
An archaeal gene upstream of *grpE* different from eubacterial counterparts (1264) 173
MacNeil, T., Bierilo, K.K., Menke, J.G. and Hess, J.F.
Cloning and pharmacological characterization of a rabbit bradykinin B_1 receptor (1264) 223
Margotat, A., see Roudani, S. (1264) 141
Marigo, V., see Piccolo, S. (1264) 40
Markkula, M., see Widłak, W. (1264) 191
Masepohl, B., see Bockholt, R. (1264) 289
Matsumoto, U., see Shimizu, M. (1264) 330
Mattsson, M.-O., see Rosander, U. (1264) 121
McKeown, B.A., see Panno, J.P. (1264) 7
McMurtry, J.P., see Dai, G. (1264) 1
Meaking, W.S., Edgerton, J., Wharton, C.W. and Meldrum, R.A.
Electroporation-induced damage in mammalian cell DNA (1264) 357

Meldrum, R.A., see Meaking, W.S. (1264) 357
Mellor, H., see Flowers, K.M. (1264) 163
Ménard, L., see Lagueux, J. (1264) 201
Menke, J.G., see MacNeil, T. (1264) 223
Merkens, L.S., Bryan, S.K. and Moses, R.E.
Inactivation of the 5′-3′ exonuclease of *Thermus aquaticus* DNA polymerase (1264) 243
Mimura, T., see Itoh, S. (1264) 26
Mimura, T., see Itoh, S. (1264) 159
Miralles, F., see Roudani, S. (1264) 141
Miranda, S., see Chianale, J. (1264) 369
Misawa, S., see Nittoh, T. (1264) 261
Mishra, R.K., Moreau, C., Ramazeilles, C., Moreau, S., Bonnet, J. and Toulmé, J.-J.
Improved leishmanicidal effect of phosphorotioate antisense oligonucleotides by LDL-mediated delivery (1264) 229
Mita, T., see Nomoto, M. (1264) 35
Miyake, M., see Shimizu, M. (1264) 330
Molven, A., see Stern, B. (1264) 115
Moon, H.M., see Park, J.M. (1264) 23
Moreau, C., see Mishra, R.K. (1264) 229
Moreau, S., see Mishra, R.K. (1264) 229
Moses, R.E., see Merkens, L.S. (1264) 243
Mue, S., see Nittoh, T. (1264) 261
Muller, M.T., see Choi, I.Y. (1264) 209
Mykles, D.L., see Shean, B.S. (1264) 312

Nakayama, T., see Takami, Y. (1264) 29
Ni, R., Tomita, Y., Tokunaga, F., Liang, T.J., Noda, C., Ichihara, A. and Tanaka, K.
Molecular cloning of two types of cDNA encoding subunit RC6-I of rat proteasomes (1264) 45
Nittoh, T., Watanabe, M., Okayama, H., Misawa, S., Isobe, Y., Hayashi, H., Mue, S. and Ohuchi, K.
Cloning of cDNA for rat eosinophil major basic protein (1264) 261
Noda, C., see Ni, R. (1264) 45
Nomoto, M., Gonzalez, F.J., Mita, T., Inoue, N. and Kawamura, M.
Analysis of *cis*-acting regions upstream of the rat Na^+/K^+-ATPase $\alpha 1$ subunit gene by in vivo footprinting (1264) 35
Nordén, B., see Kim, S.K. (1264) 129

O'Brien, R.M., Printz, R.L., Halmi, N., Tiesinga, J.J. and Granner, D.K.
Structural and functional analysis of the human phospho*enol*pyruvate carboxykinase gene promoter (1264) 284
Oh, D.H., see Choi, S.J. (1264) 215
Ohuchi, K., see Nittoh, T. (1264) 261
Okayama, H., see Nittoh, T. (1264) 261

Pallotta, D., see Lépine, G. (1264) 271
Panno, J.P. and McKeown, B.A.
Cloning and expression of a myc family member from the pituitary gland of the Rainbow trout, *Oncorhynchus mykiss* (1264) 7
Park, J.M., Lee, J.Y., Moon, H.M. and Lee, B.J.
Molecular cloning of cDNAs encoding precursors of frog skin antimicrobial peptides from *Rana rugosa* (1264) 23
Phelan, M., see Bandyopadhyay, R.S. (1264) 72
Piccolo, S., Marigo, V., Girotto, D., Volpin, D. and Bressan, G.M.
Identification of a recognition element for CAAT-enhancer binding proteins (C/EBPs) in the elastin promoter (1264) 40
Pinedo, H.M., see Giaccone, G. (1264) 337
Piper, A.A., see Chong, S. (1264) 103
Pistorius, E.K., see Bockholt, R. (1264) 289
Pohajdak, B., see Chen, J. (1264) 19
Poirier, G.G., see Lagueux, J. (1264) 201
Portemer, C., see Bouthier de la Tour, C. (1264) 279
Potvin, F., see Lagueux, J. (1264) 201
Printz, R.L., see O'Brien, R.M. (1264) 284
Puech, A., see Dupressoir, A. (1264) 397

Quintana, C., see Chianale, J. (1264) 369

Ramazeilles, C., see Mishra, R.K. (1264) 229
Rich, A., see Wölfl, S. (1264) 294
Rogers, M.A., see Fink, P. (1264) 12
Rosander, U., Holm, I., Grahn, B., Løvtrup-Rein, H., Mattsson, M.-O. and Heby, O.
Down-regulation of ornithine decarboxylase by an increased degradation of the enzyme during gastrulation of *Xenopus laevis* (1264) 121
Roudani, S., Miralles, F., Margotat, A., Escribano, M.-J. and Lombardo, D.
Bile salt-dependent lipase transcripts in human fetal tissues (1264) 141
Rova, U., see Behravan, G. (1264) 323
Roy, A.K., see Choi, S.J. (1264) 215
Rubio, G., see Giaccone, G. (1264) 337

Salmon, K.A., see Ulycznyj, P.I. (1264) 249
Salomon, D., see Yarden, A. (1264) 257
Sarasin, A., see Wicker, R. (1264) 254
Scagliotti, G., see Giaccone, G. (1264) 337
Schäfer, G., see Kath, T. (1264) 155
Schechter, I., see Levy-Holtzman, R. (1264) 134
Schijman, A.G., Vazquez, M.P., Dov, C.B., Ghio, S., Lorenzi, H. and Levin, M.J.
Cloning and sequence analysis of the TcP2β cDNA variants of *Trypanosoma cruzi* (1264) 15
Schweizer, J., see Fink, P. (1264) 12
Scotet, E. and Houssaint, E.
The choice between alternative IIIb and IIIc exons of the FGFR-3 gene is not strictly tissue-specific (1264) 238
Sen, S., see Behravan, G. (1264) 323
Shean, B.S. and Mykles, D.L.
Polyubiquitin in crustacean striated muscle: increased expression and conjugation during molt-induced claw muscle atrophy (1264) 312
Shimizu, M., Miyake, M., Kanke, F., Matsumoto, U. and Shindo, H.
Characterization of the binding of HU and IHF, homologous histone-like proteins of *Escherichia coli*, to curved and uncurved DNA (1264) 330
Shindo, H., see Shimizu, M. (1264) 330
Simon, V.H., see Macario, A.J.L. (1264) 173
Smeekens, S.P., see Dai, G. (1264) 1
Song, C.S., see Choi, S.J. (1264) 215
Spremulli, L.L., see Woriax, V.L. (1264) 347
Steiner, D.F., see Dai, G. (1264) 1
Stern, B., Molven, A. and Kamp, D.
Conserved sequence patterns in phages Mu and λ DNA (1264) 115
Stinnett, S.W., see Chen, W.-J. (1264) 388
Suárez, H.G., see Wicker, R. (1264) 254
Szweykowska-Kulinska, Z., Krajewski, J. and Wypijewski, K.
Mutations of *Arabidopsis thaliana* pre-$tRNA^{Tyr}$ affecting pseudouridylation of U_{35} (1264) 87

Tabak, H.F., see Kos, W. (1264) 79
Tada, H., see Yamauchi, K. (1264) 53
Takahashi, M., see Kim, S.K. (1264) 129
Takami, Y. and Nakayama, T.
Possible involvement of a ubiquitous and several distinct elements in the transcription regulation of the chicken H3 histone gene family (1264) 29
Tanaka, K., see Ni, R. (1264) 45
Taylor, K.A., see Chong, S. (1264) 103
Teerink, H., Voorma, H.O. and Thomas, A.A.M.
The human insulin-like growth factor II leader 1 contains an internal ribosomal entry site (1264) 403
Thelander, L., see Behravan, G. (1264) 323
Thomas, A.A.M., see Teerink, H. (1264) 403

Tiesinga, J.J., see O'Brien, R.M. (1264) 284
Tokunaga, F., see Ni, R. (1264) 45
Tomita, Y., see Ni, R. (1264) 45
Topcu, Z. and Castora, F.J.
Mammalian mitochondrial DNA topoisomerase I preferentially relaxes supercoils in plasmids containing specific mitochondrial DNA sequences (1264) 377
Toulmé, J.-J., see Mishra, R.K. (1264) 229
Traugh, J.A., see Chen, C.-J. (1264) 303
Tsujikawa, K., see Itoh, S. (1264) 26
Tsujikawa, K., see Itoh, S. (1264) 159
Tucker, D., see Linge, C. (1264) 363

Ulycznyj, P.I., Salmon, K.A., Douillard, H. and DuBow, M.S.
Characterization of the *Pseudomonas aeruginosa* transposable bacteriophage D3112 *A* and *B* genes (1264) 249
Usuki, I., see Yamauchi, K. (1264) 53

Van Ark-Otte, J., see Giaccone, G. (1264) 337
Van der Valk, P., see Giaccone, G. (1264) 337
Van Wilpe, S., see Kos, W. (1264) 79
Vazquez, M.P., see Schijman, A.G. (1264) 15
Verreault, A., see Lagueux, J. (1264) 201
Vitelli, R., Chiariello, M., Bruni, C.B. and Bucci, C.
Cloning and expression analysis of the murine Rab7 cDNA (1264) 268
Vogel, L.B., Arthur, R. and Fujita, D.J.
An aberrant *lck* mRNA in two human T-cell lines (1264) 168
Vollrath, V., see Chianale, J. (1264) 369
Volpin, D., see Piccolo, S. (1264) 40
Von Figura, K., see Isbrandt, D. (1264) 265
Voorma, H.O., see Teerink, H. (1264) 403

Walboomers, J., see Giaccone, G. (1264) 337
Watanabe, M., see Nittoh, T. (1264) 261
Wharton, C.W., see Meaking, W.S. (1264) 357
Wicker, R., Bounacer, A., Gascon, A., Brison, O., Sarasin, A. and Suárez, H.G.
Cloning and sequencing of a *tpr-met* oncogene cDNA isolated from MNNG-transformed human XP fibroblasts (1264) 254
Widłak, W., Markkula, M., Krawczyk, Z., Kananen, K. and Huhtaniemi, I.
A 252 bp upstream region of the rat spermatocyte-specific hst70 gene is sufficient to promote expression of the hst70-CAT hybrid gene in testis and brain of transgenic mice (1264) 191
Wielandt, A.M., see Chianale, J. (1264) 369
Winter, H., see Fink, P. (1264) 12
Wittig, B., see Wölfl, S. (1264) 294
Wittmann-Liebold, B., see Bockholt, R. (1264) 289
Wölfl, S., Wittig, B. and Rich, A.
Identification of transcriptionally induced Z-DNA segments in the human c-*myc* gene (1264) 294
Woriax, V.L., Burkhart, W. and Spremulli, L.L.
Cloning, sequence analysis and expression of mammalian mitochondrial protein synthesis elongation factor Tu (1264) 347
Wypijewski, K., see Szweykowska-Kulinska, Z. (1264) 87

Xing, G.-q., see Yoshikawa, T. (1264) 63

Yamada, E., see Itoh, S. (1264) 26
Yamada, E., see Itoh, S. (1264) 159
Yamauchi, K., Tada, H. and Usuki, I.
Structure and evolution of *Paramecium* hemoglobin genes (1264) 53
Yarden, A., Salomon, D. and Geiger, B.
Zebrafish cyclin D1 is differentially expressed during early embryogenesis (1264) 257
Yoshimura, T., see Itoh, S. (1264) 26
Yoshikawa, T., Xing, G.-q. and Detera-Wadleigh, S.D.
Detection, simultaneous display and direct sequencing of multiple nuclear hormone receptor genes using bilaterally targeted RNA fingerprinting (1264) 63
Yoshimura, T., see Itoh, S. (1264) 159

Zumft, W.G., see Cuypers, H. (1264) 183
Zunino, F., see Giaccone, G. (1264) 337